


BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 0950



D2 = 9,50 mm

Wellen- ϕ

B = 6,00 mm

B = 9,00 mm


B = 10,00 mm

B = 12,00 mm

BOQA® - Bestellnummern

4,00 mm 4,00 mm 4,00 mm	10023A-4k 10023-4kz	10023A-4	10023-2013-4 10023-4z 10225-4skr	11023A-4
5,00 mm 5,00 mm 5,00 mm	10023A-5k 10023-k	10023 10023A-5	10023-2013-5	11023 11023A-5
6,00 mm 6,00 mm 6,00 mm 6,00 mm 6,00 mm 6,00 mm	10023A-6k	10023A-6	10023-2013-6	11023A-6
6,35 mm 6,35 mm 6,35 mm	10023A-6.35k	10023A-6.35	10023-2013-6.35	1023A-6.35

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 0950




D2 = 9,50 mm

Wellen- ϕ B = 13,00 mm B = 14,00 mm B = 16,00 mm B = 19,00 mm

BOQA® - Bestellnummern

4,00 mm 4,00 mm 4,00 mm	10024A-4S	11024A-4	10024-4z VE 10024-4 10024A-4	
5,00 mm 5,00 mm 5,00 mm	10024A-5S 10024-S	10024 11024A-5	10024-5z VE 10024 10024A-5	10025
6,00 mm 6,00 mm 6,00 mm 6,00 mm 6,00 mm 6,00 mm	10024A-6S	11024A-6	10024-6z VA 10024-6 10024-6skr 10024-6L-ISK 10024-6Lskr 10024A-6	
6,35 mm 6,35 mm 6,35 mm	10024-6.35 10024A-6.35S	10024A-6.35	10024-6.35z 10024A-6.35 10024-6.35Lskr	

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1130



D2 = 11,30 mm

Wellen- ϕ

B = 8,00 mm

B = 10,00 mm


B = 12,00 mm

B = 16,00 mm

BOQA® - Bestellnummern

5,00 mm 5,00 mm 5,00 mm	11025k 11025k-ISK	10128ma 11025 11025-ISK	10128 10128-ISK	10129S 10129S-ISK
6,00 mm 6,00 mm 6,00 mm 6,00 mm 6,00 mm	11130k 11130k-ISK	11130 11130-ISK	10132 10132-ISK	10133S 10133S-ISK
6,35 mm 6,35 mm 6,35 mm	11134k 11134k-ISK	11134 11134-ISK	10075 10075-ISK	10076S 10076S-ISK
7,00 mm 7,00 mm	11077k 11077k-ISK	11077 11077-ISK	10146 10146-ISK	10147S 10147S-ISK
8,00 mm 8,00 mm	11077-8k 11077-8k-ISK	11077-8 11077-8-ISK		

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1130




D2 = 11,30 mm

Wellen- ϕ B = 19,00 mm B = 22,00 mm B = B =

BOQA® - Bestellnummern

5,00 mm	10129			
5,00 mm	10129-ISK			
5,00 mm				
6,00 mm	10133	10134		
6,00 mm	10133-ISK	10134-ISK		
6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,35 mm	10076	10077		
6,35 mm	10076-ISK	10077-ISK		
6,35 mm				
7,00 mm	10147	10148		
7,00 mm	10147-ISK	1018-ISK		
8,00 mm				
8,00 mm				

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1360



D2 = 13,60 mm


Wellen- ϕ B = 11,00 mm B = 12,00 mm B = 16,00 mm B = 22,00 mm

BOQA® - Bestellnummern

5,00 mm		10135-5	10137-5	10138
5,00 mm		10135-5-ISK	10137-5-ISK	10138-ISK
5,00 mm				
6,00 mm		10136	10137	10138
6,00 mm		10136-ISK	10137-ISK	10138-ISK
6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,35 mm	10079ma	10079	10080	10081
6,35 mm		10079-ISK	10080-ISK	10081-ISK
6,35 mm				
7,00 mm		10150	10151	10152
7,00 mm		10150-ISK	10151-ISK	10152-ISK
8,00 mm	10160ma	10160	10161	10162
8,00 mm		10160-ISK	10161-ISK	10162-ISK
9,00 mm		10160-9	10161-9	10162-9
9,00 mm		10160-9-ISK	10161-9-ISK	10162-9-ISK
9,52 mm				
9,52 mm				
10,00 mm		10160-10	10161-10	10162-10
10,00 mm		10160-10-ISK	10161-10-ISK	10162-10-ISK
10,00 mm			10161-skr	
10,00 mm			10161-10skr-ISK	

DBG M : 94 07 845 / 94 10 725
 DBP : 44 16 292 8
 bodatTec-Form-Nr. : boqa2016.idd
 © Georg F. Boda : bodatTec® GmbH 72649 Wolfslungen

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1610



D2 = 16,10 mm

Wellen- ϕ **B = 12,00 mm** **B = 16,00 mm** **B = 22,00 mm** **B = 26,00 mm**


BOQA® - Bestellnummern

6,00 mm	10140k	10140	10141	10142
6,00 mm	10140k-ISK	10140-ISK	10141-ISK	10142-ISK
6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,35 mm	10083k	10083	10084	10085
6,35 mm	10083k-ISK	10083-ISK	10084-ISK	10085-ISK
6,35 mm				
7,00 mm	10154k	10154	10155	10156
7,00 mm	10154k-ISK	10154-ISK	10155-ISK	10156-ISK
8,00 mm	10164k	10164	10165	10166
8,00 mm	10164k-ISK	10164-ISK	10165-ISK	10166-ISK
9,00 mm	10170k	10170	10171	10172
9,00 mm	10170k-ISK	10170-ISK	10171-ISK	10172-ISK
9,52 mm	10122k	10122	10123	10124-S
9,52 mm	10122k-ISK	10122-ISK	10123-ISK	10124-S-ISK
10,00 mm	10027k	10027	10028	10029-S
10,00 mm	10027k-ISK	10027-ISK	10028-ISK	10029-S-ISK
11,00 mm	10027-11k	10027-11	10028-11	10029-11S
11,00 mm	10027-11k-ISK	10027-11-ISK	10028-11-ISK	10029-11S-ISK

DBGM : 94 07 845 / 94 10 725
 DBP : 44 16 292,8
 bodatTec-Form-Nr.: boqa2016.idd
 © bodatTec® GmbH 72649 Wolfslungen

DBGM : 94 07 845 / 94 10 725
 DBP : 44 16 292,8
 bodatTec-Form-Nr.: boqa2016.idd
 © Georg F. Boda

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1610




D2 = 16,10 mm

Wellen- ϕ B = 30,00 mm B = B = B =

BOQA® - Bestellnummern

6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,00 mm				
6,35 mm				
6,35 mm				
6,35 mm				
7,00 mm				
7,00 mm				
8,00 mm	10166-L			
8,00 mm	10166-L-ISK			
9,00 mm	10172-L			
9,00 mm	10172-L-ISK			
9,52 mm	10124-L			
9,52 mm	10124-L-ISK			
10,00 mm	10029-L			
10,00 mm	10029-L-ISK			
11,00 mm	10029.11L			
11,00 mm	10029-11L-ISK			

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 1810




D2 = 18,10 mm

Wellen- ϕ B = 16,00 mm B = 22,00 mm B = 30,00 mm B =

BOQA® - Bestellnummern

6,00 mm 6,00 mm	10143 10143-ISK	10144 10144-ISK		
6,35 mm 6,35 mm	10086 10086-ISK	10087 10087-ISK		
7,00 mm 7,00 mm	10157 10157-ISK	10158 10158-ISK		
8,00 mm 8,00 mm	10167 10167-ISK	10168 10168-ISK	10169 10169-ISK	
9,00 mm 9,00 mm	10173 10173-ISK	10174 10174-ISK	10175 10175-ISK	
9,52 mm 9,52 mm	10125 10125-ISK	10126 10126-ISK	10127 10127-ISK	
10,00 mm 10,00 mm	10030 10030-ISK	10031 10031-ISK	10032 10032-ISK	
11,00 mm 11,00 mm	10036 10036-ISK	10037 10037-ISK	10038 10038-ISK	
12,00 mm 12,00 mm	10042 10042-ISK	10043 10043-ISK	10044 10044-ISK	
12,70 mm 12,70 mm	10042-12.7 10042-12.7-ISK	10043-12.7 10043-12.7-ISK	10044-12.7 10044-12.7-ISK	

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 2350




D2 = 23,50 mm

Wellen- \varnothing B = 10,00 mm B = 12,00 mm B = 14,00 mm B = 19,00 mm

BOQA® - Bestellnummern

6,00 mm				
8,00 mm				
8,00 mm				
9,00 mm	10033-9k			10033-9
9,00 mm	10033-9k-ISK			10033-9-ISK
10,00 mm	10033k		10033ho	10033
10,00 mm	10033k-ISK		10033ho-ISK	10033-ISK
11,00 mm	10039k		10039ho	10039
11,00 mm	10039k-ISK		10039ho-ISK	10039-ISK
12,00 mm	10045k		10045ho	10045
12,00 mm	10045k-ISK		10045ho-ISK	10045-ISK
12,70 mm				
12,70 mm				
13,00 mm	10048k		10048ho	10048
13,00 mm	10048k-ISK	10050skr-ISK	10048ho-ISK	10048-ISK
14,00 mm	10051k		10051ho	10051
14,00 mm	10051k-ISK		10051ho-ISK	10051-ISK
15,00 mm	10054		10054ho	10054
15,00 mm	10054-ISK		10054ho-ISK	10054-ISK
16,00 mm	10060k		10060ho	10060
16,00 mm	10060k-ISK		10060ho-ISK	10060-ISK

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 2350




D2 = 23,50 mm

Wellen- \varnothing **B = 25,00 mm** **B = 27,00 mm** **B = 35,00 mm** **B = 40,00 mm**

BOQA® - Bestellnummern

6,00 mm		BO584706		
8,00 mm		BO584705	10035-8	
8,00 mm			10035-8-ISK	
9,00 mm		BO585130	10035-9	
9,00 mm			10035-9-ISK	
10,00 mm	10034		10035-10	10035-10ho
10,00 mm	10034-ISK		10035-10-ISK	10035-10ho-ISK
11,00 mm	10040		10041	10041ho
11,00 mm	10040-ISK		10041-ISK	10041ho-ISK
12,00 mm	10046		10047	10047ho
12,00 mm	10046-ISK		10047-ISK	10047ho-ISK
12,70 mm				
12,70 mm				
13,00 mm	10049		10050	10050ho
13,00 mm	10049-ISK		10050-ISK	10050ho-ISK
14,00 mm	10052	BO584707	10053	10053ho
14,00 mm	10052-ISK	BO585131	10053-ISK	10053ho-ISK
		B14-584707		
15,00 mm	10055		10056	10056ho
15,00 mm	10055-ISK		10056-ISK	10056ho-ISK
16,00 mm	10061		10062	10062ho
16,00 mm	10061-ISK		10062-ISK	10062ho-ISK

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 2730



D2 = 27,30 mm

Wellen- ϕ

B = 13,00 mm

B = 16,00 mm


B = 22,00 mm

B = 30,00 mm

BOQA® - Bestellnummern

6,35 mm	12106.35			
6,35 mm	12106.35-ISK			
8,00 mm	12108			
8,00 mm	12108-ISK			
9,00 mm	12109			
9,00 mm	12109-ISK			
10,00 mm	12110			
10,00 mm	12110-ISK			
12,00 mm	12112	10212	10312	10412
12,00 mm	12112-ISK	10212-ISK	10312-ISK	10412-ISK
13,00 mm	12113	10213	10313	10413
13,00 mm	12113-ISK	10213-ISK	10313-ISK	10413-ISK
14,00 mm	12114	10214	10314	10414
14,00 mm	12114-ISK	10214-ISK	10314-ISK	10414-ISK
15,00 mm	12115	10215	10315	10415
15,00 mm	12115-ISK	10215-ISK	10315-ISK	10415-ISK
16,00 mm	12116	10216	10316	10416
16,00 mm	12116-ISK	10216-ISK	10316-ISK	10416-ISK
17,00 mm	12117	10217	10317	10417
17,00 mm	12117-ISK	10217-ISK	10317-ISK	10417-ISK
18,00 mm	12118	10218	10318	10418
18,00 mm	12118-ISK	10218-ISK	10318-ISK	10418-ISK
19,00 mm	12119	10219	10319	10419
19,00 mm	12119-ISK	10219-ISK	10319-ISK	10419-ISK
20,00 mm	12120	10220	10320	10420
20,00 mm	12120-ISK	10220-ISK	10320-ISK	10420-ISK

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 2730




D2 = 27,30 mm

Wellen- ϕ B = 40,00 mm B = B = B =

BOQA® - Bestellnummern

6,35 mm				
6,35 mm				
8,00 mm				
8,00 mm				
9,00 mm				
9,00 mm				
10,00 mm				
10,00 mm				
12,00 mm	10512			
12,00 mm	10512-ISK			
13,00 mm	10513			
13,00 mm	10513-ISK			
14,00 mm	10514			
14,00 mm	10514-ISK			
15,00 mm	10515			
15,00 mm	10515-ISK			
16,00 mm	10516			
16,00 mm	10516-ISK			
17,00 mm	10517			
17,00 mm	10517-ISK			
18,00 mm	10518			
18,00 mm	10518-ISK			
19,00 mm	10519			
19,00 mm	10519-ISK			
20,00 mm	10520			
20,00 mm	10520-ISK			

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 3400



D2 = 34,00 mm


Wellen- ϕ **B = 16,00 mm** **B = 22,00 mm** **B = 28,00 mm** **B = 35,00 mm**

BOQA® - Bestellnummern

14 mm 14 mm	10057k-14 10057k-14-ISK	10057-14 10057-14-ISK	10058-14 10058-14-ISK	10059-14 10059-14-ISK
15 mm 15 mm	10057k-15 10057k-15-ISK	10057-15 10057-15-ISK	10058-15 10058-15-ISK	10059-15 10059-15-ISK
16 mm 16 mm	10063k 10063k-ISK	10063 10063-ISK	10064 10064-ISK	10065 10065-ISK
17 mm 17 mm	10066k 10066k-ISK	10066 10066-ISK	10067 10067-ISK	10068 10068-ISK
18 mm 18 mm	10069k 10069k-ISK	10069 10069-ISK	10070 10070-ISK	10071 10071-ISK
19 mm 19 mm	10072k 10072k-ISK	10072 10072-ISK	10073 10073-ISK	10074 10074-ISK
20 mm 20 mm	10089k 10089k-ISK	10089 10089-ISK	10090 10090-ISK	10091 10091-ISK
21 mm 21 mm	10095k 10095k-ISK	10095 10095-ISK	10096 10096-ISK	10097 10097-ISK
22 mm 22 mm	10101k 10101k-ISK	10101 10101-ISK	10102 10102-ISK	10103 10103-ISK
24 mm 24 mm	10107k 10107k-ISK	10107 10107-ISK	10108 10108-ISK	10109 10109-ISK
25 mm 25 mm	10107k-25 10107k-25-ISK	10107-25 10107-25-ISK	10108-25 10108-25-ISK	10109-25 10109-25-ISK

DBGM : 94 07 845 / 94 10 725
 DBP : 44 16 292,8
 bodatec-Form-Nr.: boqa2016.idd
 © Georg F. Boda : bodatec® GmbH 72649 Wolfischlugen

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 3400




D2 = 34,00 mm

Wellen- ϕ B = 40,00 mm B = B = B =

BOQA® - Bestellnummern

14 mm	10059-14L			
14 mm	10059-14L-ISK			
15 mm	10059-15L			
15 mm	10059-15L-ISK			
16 mm	10065L			
16 mm	10065L-ISK			
17 mm	10068L			
17 mm	10068L-ISK			
18 mm	10071L			
18 mm	10071L-ISK			
19 mm	10074L			
19 mm	10074L-ISK			
20 mm	10091L			
20 mm	10091L-ISK			
21 mm	10097L			
21 mm	10097L-ISK			
22 mm	10103L			
22 mm	10103L-ISK			
24 mm	10109L			
24 mm	10109L-ISK			
25 mm	10109-25L			
25 mm	10109-25L-ISK			

BOQA® Varianzbandbreite - Übersicht BOQA®-Gruppe 3980



D2 = 39,80 mm

Wellen- ϕ B = 25,00 mm B = 35,00 mm B = 45,00 mm B =

BOQA® - Bestellnummern

18 mm				
18 mm				
19 mm	10093-19	10094-19		
19 mm	10093-19-ISK	10094-19-ISK		
20 mm	10093	10094	11095	
20 mm	10093-ISK	10094-ISK	11095-ISK	
21 mm	10099	10100	11101	
21 mm	10099-ISK	10100-ISK	11101-ISK	
22 mm	10105	10106	11107	
22 mm	10105-ISK	10106-ISK	11107-ISK	
24 mm	10111	10112	11113	
24 mm	10111-ISK	10112-ISK	11113-ISK	
25 mm	10114-25	10115	11115-25	
25 mm	10114-25-ISK	10115-ISK	11115-25-ISK	
26 mm	10114-26	10115-26	11115-26	
26 mm	10114-26-ISK	10115-26-ISK	11115-26-ISK	
28 mm	10117	10118	11118	
28 mm	10117-ISK	10118-ISK	11118-ISK	
30 mm	10119	10120	11121	
30 mm	10119-ISK	10120-ISK	11121-ISK	
32 mm		10120-32		
32 mm		10120-32-ISK		